

## **HOT DEVIL CORDLESS BUTANE GAS RANGE**



FLEXIBLE LIGHTER HDFL



#### **FEATURES**

- Auto ignition
- Flexible stem
- Adjustable flame control
- Refillable
- Bonus gas

#### **IDEAL FOR:**

- Ovens & cookers
- Candles
- Outdoors
- Camping

**IDEAL FOR:** 

Candles

Outdoors

Camping

Heat shrink

applications

General heating

**BBQs** 

**IDEAL FOR:** 

Ovens & cookers

BBQs





#### **FEATURES**

- Auto ignition
- Adjustable stem
- Adjustable flame control
- Refillable
- Bonus gas
  - \* Not recommended to run the lighter for more than 2 minutes at a time.

\* Not recommended to run the lighter for more than 2 minutes at a time.



**HEAT SHRINK KIT** & BLOW TORCH HD911



#### **FEATURES**

- Auto ignition
- Refillable with purified butane gas
- Burn temp 1350°C
- Heat shrink temp 500°C
- Adjustable gas flow
  - \* Not recommended to run the torch for more than 10 minutes at a time.



MINI GAS BLOW TORCH HD3300



#### **FEATURES**

- Auto ignition
- 1350°C burn temp
- Refillable with purified butane gas
- Ergonomic grip

#### **IDEAL FOR:**

- Soldering
- Heat shrink
- Loosening rusted nuts/bolts/screws

General lighting

Pilot lights

BBQ's

**Candles** 

Strip paint

**IDEAL FOR:** 

\* Not recommended to run the torch for more than 10 minutes at a time.



MICRO GAS LIGHTER HDMGL

#### **FEATURES**

- Auto ignition
- 1 hour burn time \*
- Child resistant ignition switch
- Refillable with purified butane gas
- Available in assorted colours
  - \* Not recommended to run the lighter for more than 2 minutes at a time.



GAS POWERED TORCH BONUS PACK

HD8100



#### **FEATURES**

- Auto ignition
- 40 mins. burn time\*
- Burn temp. 1350°C
- Adjustable gas flow
- Refillable with purified butane gas
- **IDEAL FOR:** 
  - Soldering
  - Heat shrink
- Loosening rusted nuts/bolts/screws
- Strip paint
- \* Not recommended to run the torch for more than 10 minutes at a time.



MICRO GAS TORCH COUNTER DISPLAY H08B/H08CD



#### **FEATURES**

- Auto ignition
- Safety lock
- Adjustable flame
- Refillable with butane gas
- Assorted colours

- Heat shrink
- Soldering
- Candles
- Outdoors
- Pilot lights
- \* Not recommended to run the torch for more than 10 minutes at a time.



**IDEAL FOR:** 

**IDEAL FOR:** 



Plumbing repairs

Loosening rusted nuts/bolts/screws

Wood graining

Strip paint

Soldering

Heat shrink

Strip paint

Soldering

Heat shrink

Loosening rusted nuts/bolts/screws

Pre-heating metals

**IDEAL FOR:** 

Loosening rusted nuts/bolts/screws





**ULTIMATE BLOW TORCH HDUT** 



HD988/CT988

# **BUTANE GAS TORCH**







### **3 IN 1 GAS TORCH** & SOLDERING IRON



HD909

### **BUTANE HEAT GUN**



## **HDHG**



#### **GAS TORCH & SOLDERING IRON** HD1938-2



#### **3 PIECE SOLDERING IRON & BLOW TORCH** HD1970



#### **FEATURES**

- Auto ignition
- Large ergonomic grip
- Adjustable flame
- Refillable with butane gas
- Burn temp. 1350°C
  - \* Burn time 30 minutes+. Refillable with Purified Butane Gas, supplied empty.

#### **FEATURES**

- Auto ignition
- Anti-flare feature
- Safety lock
- Torch temp. 1350°C
- Adjustable gas flow
  - \* Not recommended to run the torch for more than 10 minutes at a time.

#### **FEATURES**

- Auto ignition
- Adjustable gas flow
- Stainless steel burner tube
- Burn temp. 1350°C
- Anti flare feature

Auto ignition

Rotating head

Soldering temp. 400°C

Hot blow temp. 500°C

Torch temp. 1300°C

\* Not recommended to run the torch for more than 10 minutes at a time.

## **IDEAL FOR:**

- Electrical soldering
- Heat shrink
- Circuitry soldering
- Wood burning
- De-soldering

Heat shrink

General heating applications

**IDEAL FOR:** 

\* Not recommended to run the torch for more than 10 minutes at a time.

#### **FEATURES**

**FEATURES** 

- Auto ignition
- Refillable with purified butane gas
- Adjustable burner tube
- Heats up to 510°C
- Adjustable gas flow
  - \* Not recommended to run the torch for more than 10 minutes at a time.

#### 9 IN 1 GAS TORCH & SOLDERING IRON KIT



HOT & DEVIL





MANUAL





#### **FEATURES**

- Manual ignition
- 1 hour burn time\*
- Soldering temp. 400°C
- Torch temp. 1300°C
- Hot blow temp. 500°C
- **IDEAL FOR:** Electrical soldering

  - Heat shrink
  - Circuitry soldering
  - Wood burning
  - De-soldering
- \* Not recommended to run the torch for more than 10 minutes at a time.

#### 10 PIECE SOLDERING **IRON & BLOW TORCH KIT** HD1971K





**AUTO** 



#### **FEATURES**

- Auto ignition
- 1 hour burn time\*
- Soldering temp. 400°C
- Torch temp. 1300°C
- Blow tip temp. 500°C

- Electrical soldering
- Heat shrink
- Wood burning
- Foam cutting
- Engraving

<sup>\*</sup> Not recommended to run the torch for more than 10 minutes at a time.

## **HOT DEVIL PROPANE & TRADE MAP GAS RANGE**



**TRADE MAP SUPER FLAME TORCH KIT HD600** 





#### **FEATURES**

- Automatic ignition
- Continuous burn lock button
- Inbuilt anti-flare feature
  - Large stainless steel & brass burner tube assembly
- Burn temperature 2050°
- Swirl flame for faster heat transfer •
- Solid metal construction
- On/Off switch lock function
- Includes 400gm Trade Map gas cylinder

#### **IDEAL FOR:**

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/ mild steel/aluminium
- Soft soldering & delicate applications
- Heat shrink
- General heating applications



#### TRADE MAP TWIN **TORCH KIT** HD032

## **FEATURES**

- Auto ignition
- Solid brass internals
- Brass adjustable burner tube
- Hardened ABS handle for heat & impact resistance
- Swirl flame action transfers heat up to 40% faster
- Anti flare feature
- Ignition lock on/off
- Adjustable gas flow
- Burn temp 2050°C
- CGA600 thread

#### **IDEAL FOR:**

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/ mild steel/aluminium
- Soft soldering & delicate applications
- Heat shrink
- General heating applications



**TRADE MAP TORCH KIT** HD030

#### **FEATURES**

- Auto ignition
- Solid brass internals
- Brass adjustable burner tube
- Hardened ABS handle for heat & impact resistance
- Swirl flame action transfers heat up to 40% faster
- Anti flare feature
- Ignition lock on/off
- Adjustable gas flow
- Burn temp 2050°C
- CGA600 thread

#### **IDEAL FOR:**

- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/ mild steel/aluminium
- Heat shrink
- General heating applications



HD027

FLAME TORCH KIT



#### **FEATURES**

- Auto ignition
- Solid brass internals
- Stainless steel adjustable burner tube
- Hardened ABS handle for heat & impact resistance
- Swirl flame action transfers heat up to 40% faster
- Anti flare feature
- Adjustable gas flow
- Burn temp 2050°C
- CGA600 thread







- Silver soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/ mild steel/aluminium
- Heat shrink
- General heating applications











#### **PROPANE WEBBED FLAME TORCH KIT**

HD7011

#### **FEATURES**

- Auto ignition
- Portable/lightweight
- Stainless steel burner tube
- Adjustable gas flow
- Anti flare feature
- Burn temp 1898°C
- CGA600 thread
- Powered by propane

#### **IDEAL FOR:**

- Soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Electrical applications
- Heat shrink
- Automotive & heat applications



#### **PROPANE TORCH** KIT WITH HAND **SPARKER HDPTK**

#### **FEATURES**

- Manual ignition
- Portable/lightweight
- Solid brass burner tube
- Burn temp 1898°C
- Anti flare feature
- Adjustable gas flow
- CGA600 thread Powered by propane

#### **IDEAL FOR:**

- Soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Heat shrink
- Automotive & heat applications



#### **FEATURES**

- Oxygen/FuelControl
- FlashBack Arrestors in hose and regulators
- Solid Brass Fittings
- Sturdy Metal Stand
- PinPointBurnerTip
- Includes Sparker
- Includes tinted safety glasses

#### **IDEAL FOR:**

- Soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/ mild steel/aluminium
- Automotive & heat applications



This Kit has been designed for use with the Hot Devil HDOC Oxygen Cylinder 950ml (M12 Oxygen thread)





**HDOXP** 

**HDBTK** 









#### **FEATURES**

- Welding, Heating & **Brazing Tool**
- Lightweight & Portable
- Oxygen/Fuel Control
- Integrated Pressure Gauges
- Solid Brass Fittings
- Sturdy Metal Stand
- Pin Point Burner Tip
- Includes hand sparker
- Includes tinted safety glasses

- Soldering
- Thawing frozen pipes/locks
- Loosening rusted nuts/bolts/screws
- Brazing copper/ mild steel/aluminium
- Automotive & heat applications



## HOT DEVIL GAS CYLINDERS & CARTRIDGES



# TRADE MAP GAS CYLINDER

HDTRD

#### **FEATURES**

- Trade Map gas
- Burn temp 2050°C
- Disposable cylinder
- CGA600 thread
- Contains propylene (100%)
- 400gm / 14.1oz



# PROPANE GAS CYLINDER HDPRO

#### i ibi ko

- FEATURES
- Propane gasBurn temp 1898°C
- Disposable cylinder
- CGA600 thread
- Contains propane (>95%) & propylene (<5%)</li>
- 400gm / 14.1oz



#### OXYGEN CYLINDER

#### **HDOXGN**

#### **FEATURES**

- Compressed oxygen
- Disposable cylinder
- Reverse CGA600 thread
- Contains oxygen, compressed, pure
- 40.1gm / 1.4oz



#### OXYGEN CYLINDER

**HDOC** 

#### **FEATURES**

- Compressed oxygen
- Disposable cylinder
- M12 Oxygen thread
- Contains oxygen, compressed, pure
- 145gm / 5oz / 950ml



TRADE MAP GAS VALUE 3 PACK HDTP



PROPANE GAS VALUE 3 PACK HDPP



## PURIFIED 11X BUTANE GAS 300ML COUNTER DISPLAY

HDGAS5



#### **FEATURES**

- Butane gas, purified 11 times
- Burn temp 1350°C
- Disposable cylinder
- Universal connection
- Contains approx. 60% butane, 36% isobutane, 2% propane
- Multiple adaptors included in the cap
- 300ml / 10 fl oz
- ISO9001



## **BUTANE GAS CARTRIDGE**4 PACK

HD200C



#### **FEATURES**

- Butane gas, purified 11 times
- Burn temp 1350°C
- Disposable cylinder
- Bayonet connection
- Contains approx. 60% butane, 36% isobutane, 2% propane
- 220gm



UNIVERSAL GAS REFILL 18ML COUNTER DISPLAY HDMG

#### **FEATURES**

- Butane gas, ultra refined
- Burn temp 1350°C
- Disposable bottle
- Universal connection
- Contains approx. 60% butane, 36% isobutane, 2% propane
- 18ml

## HOT DEVIL HEAT WANDS & WEED KILLERS

#### **HEAT WAND / WEED KILLER**

**HDWK** 

#### **FEATURES**

- Auto ignition
- Burn temp 1350°C
- 650mm burner tube
- Lightweight/portable
- Adjustable gas flow
- Kills weeds without using poison
- Bayonet fitting

#### **IDEAL FOR:**

- Weeding rockeries, paving, pathways & concrete driveways
- Use in wet or dry conditions
- Lighting BBQ's, firepits, wood heaters and much more





#### **SUPER WEED KILLER / HEAT WAND** HD8936B

#### **FEATURES**

- Auto ignition
- Burn temp 1898°C
- 850mm burner tube
- Lightweight/portable
- Adjustable gas flow
- Kills weeds without using poison
- CGA600 thread

#### **IDEAL FOR:**

- Weeding rockeries, paving, pathways & concrete driveways
- Use in wet or dry conditions
- Lighting BBQ's, firepits, wood heaters and much more





## HOT DEVIL ELECTRIC SOLDERING IRONS

#### **ELECTRIC SOLDERING IRON 30 WATT**

HDS30W



#### KIT INCLUDES:

- Soldering iron 30W
- Stand & spare tip

#### **ELECTRIC SOLDERING IRON 60 WATT** HDS60W



#### KIT INCLUDES:

- Soldering iron 60W
- Stand & spare tip

### **ELECTRIC SOLDERING IRON 80 WATT**

HDS80W




#### KIT INCLUDES:


- Soldering iron 80W
- Stand & spare tip

#### **CORDLESS RECHARGEABLE SOLDERING IRON**

**HDRSI** 

#### **FEATURES:**





- **Power Indicator**
- Soldering Temp. 480°C
- Portable & Lightweight



### WOOD BURNING KIT

HDWBK



#### KIT INCLUDES:

- 30W Wood Burning Unit
- 10 x Wood Burning Tips
- 9 x Wood Burning Stamps
- Lettering Stencil
- Soldering Tip
- Knife & Collet



## **HOT DEVIL ACCESSORIES**



**SCAN TO SEE** THE BOOMBOX IN ACTION

### **BOOMBOX WIRELESS SPEAKER**

**HDBOOMBOX** 



TWIN BURNER BUTANE **GAS STOVE** 

**HDTBS** 



**SCAN TO SEE** THE GAS STOVE **IN ACTION** 



#### **ROSIN CORE SOLDER HDRCS**

- **FEATURES** 220°C melting point
- Suitable for electrical soldering



## **FEATURES**

**HDACS** 

- 220°C melting point
- Suitable for metal work soldering

**ACID CORE SOLDER** 



#### **ALUMINIUM BRAZING RODS** 5PK

**HDAWR** 

Melting Temp. 577°C to 582°C



#### **SOLID WIRE SOLDER HDSWS**

#### **FEATURES**

- 220°C melting point
- Suitable for plumbing & automotive repairs



#### WATER SOLUBLE FLUX **HDWF**

#### **FEATURES**

- 50g. water soluble paste
- 104°C boiling point



#### **GENERAL PURPOSE BRAZING RODS** 5PK

**HDCPR** 

Working Temp. 732°C - 843°C



#### **MULTI-PURPOSE AIR DUSTER**

#### **HDAD**

#### **FEATURES**

- Blows away 99% of dust.
- Precision dusting extention tube.
- Ideal for a variety of cleaning applications.
- DO NOT SHAKE

#### **HAND SPARKER HDSPK**





#### **BRASS TORCH HEAD** RHPTK

## **IDEAL FOR:**

- Soldering & brazing
- Loosening rusted nuts/ bolts/screws
- Removing paint or putty
- Lighting wood fires and heat beads



Follow us on Social Media









PO Box 141, Patterson Lakes, VIC 3197 35A Lakewood Blvd, Carrum Downs, VIC 3201 Ph: 03 9775 0713 Fax: 03 9775 1428 Enquires: sales@Inmarketing.com.au

To view all our products visit www.hotdevil.com.au